

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A flexible nurser liner usable with a holder having a rim defining an open end, the liner comprising:

a body having a periphery with an opening and with a remainder of the periphery being a sealed periphery, said body defining an inner volume; and
a closure member being selectively resealable and traversing said opening for providing selective access to said inner volume, wherein said closure member has a non-linear shape, and wherein said closure member has a semi-circular shape.

2. (cancelled)

3. (currently amended) The liner of claim 12, wherein said semi-circular shape is upwardly convex.

4-5. (cancelled)

6. (original) The liner of claim 1, wherein said body has first and second panels with the same size and shape.

7. (original) The liner of claim 6, wherein said first and second panels are heat-sealed along said sealed periphery.

8. (original) The liner of claim 1, further comprising an identification area for identifying contents of said inner volume, wherein said closure member partially defines said identification area.

9. (original) The liner of claim 6, wherein each of said first and second panels has a substantially rectangular shape.

10. (original) The liner of claim 9, wherein said first panel has a first tab, wherein said second panel has a second tab, and wherein said first and second tabs are perforated for removal.

11. (original) The liner of claim 10, wherein each of said first and second tabs has a textured surface and a non-textured surface.

12. (original) The liner of claim 1, further comprising a gusset.

13. (original) The liner of claim 1, wherein said closure member comprises a plurality of projection members.

14. (currently amended) An infant feeding assembly comprising:

a flexible liner having a body and a closure member, said body having a periphery with an opening and a remainder of the periphery being a sealed periphery, said body defining a first volume, said closure member being selectively resealable and traversing said opening for providing selective access to said first volume; and

a holder having an open end and defining a second volume, wherein said flexible liner is ~~disposed~~ positioned in said second volume, ~~and wherein said closure member has a non-linear shape, and wherein said closure member has a V-like shape extending~~ substantially across said body.

15-17. (cancelled)

18. (currently amended) The assembly of claim 147, wherein said V-like shape is inverted.

19. (original) The assembly of claim 14, wherein said body has first and second panels with the same size and shape.

20. (original) The assembly of claim 19, wherein said first and second panels are heat-sealed along said sealed periphery.

21. (original) The assembly of claim 14, wherein said flexible liner has an identification area for identifying contents of said first volume, and wherein said closure member partially defines said identification area.

22. (original) The assembly of claim 19, wherein each of said first and second panels has a substantially rectangular shape.

23. (original) The assembly of claim 22, wherein said first panel has a first tab, wherein said second panel has a second tab, and wherein said first and second tabs are perforated for removal.

24. (original) The assembly of claim 23, wherein each of said first and second tabs has a textured surface and a non-textured surface.

25. (original) The assembly of claim 14, wherein said flexible liner has a gusset.

26. (original) The assembly of claim 14, wherein said closure member comprises a plurality of projection members.

27. (currently amended) An infant feeding assembly comprising:

a flexible liner having a body and a closure member, said body having a periphery with an opening and a remainder of the periphery being a sealed periphery, said body defining a first volume, said closure member being resealable and traversing said opening, said closure member movable between first and second positions, said first position allowing access through said opening and said second position sealing said opening, said closure member having an inner cross-sectional area when in said first position; and

a holder having an open end with an outer cross-sectional area, said holder defining a second volume, wherein said flexible liner is ~~disposed~~positioned in said second volume, and wherein said inner cross-sectional area is greater than said outer cross-sectional area so that said closure member can slide past said open end, wherein said flexible liner has an identification area for identifying contents of said first volume, and wherein said closure member partially defines said identification area.

28. (original) The assembly of claim 27, wherein said closure member has a non-linear shape.

29. (currently amended) The assembly of claim 27, wherein said closure member has a semi-circular shape.

30. (original) The assembly of claim 29, wherein said semi-circular shape is upwardly convex.

31. (currently amended) The assembly of claim 27, wherein said closure member has a V-like shape.

32. (original) The assembly of claim 31, wherein said V-like shape is inverted.

33. (original) The assembly of claim 27, wherein said body has first and second panels with the same size and shape.

34. (original) The assembly of claim 33, wherein said first and second panels are heat-sealed along said sealed periphery.

35. (cancelled)

36. (original) The assembly of claim 33, wherein said first and second panels have a substantially rectangular shape.

37. (original) The assembly of claim 33, wherein said first panel has a first tab, wherein said second panel has a second tab, and wherein said first and second tabs are perforated for removal.

38. (original) The assembly of claim 37, wherein each of said first and second tabs has a textured surface and a non-textured surface.

39. (original) The assembly of claim 27, wherein said flexible liner has a gusset.

40. (original) The assembly of claim 27, wherein said closure member comprises a plurality of projection members.

41. (currently amended) A nurser liner for use with a holder having an opening, the liner comprising:

a liner body having an upper portion with an open end, said liner body defining an inner volume;

a rim ~~disposed~~ positioned on said upper portion and extending outwardly from said liner body, said rim being selectively engageable with said holder opening; and

a closure member integrally connected with said rim ~~being selectively resealable and non-removable therefrom~~, said closure member traversing said open end of said liner body, wherein said closure member is movable between a first position for providing selective access to said inner volume and a second position for sealing said inner volume.

42. (currently amended) The liner of claim 41, wherein said rim has an upper surface, and wherein said closure member is ~~disposed~~ positioned along said upper surface.

43. (currently amended) The liner of claim 41, wherein said rim has an upper surface with an inner portion, and wherein said closure member is ~~disposed~~ positioned along said inner portion.

44. (original) The liner of claim 41, wherein said liner body has an elongated cylindrical shape.

45. (currently amended) An infant feeding assembly comprising:

a nurser liner having a liner body, with a rim and a closure member, said liner body having an upper portion with an open end, said liner body defining a first volume, said rim being ~~disposed~~ positioned on said upper portion and extending outwardly from said liner body; and

a holder having an opening and defining a second volume, wherein said closure member is integrally connected with said liner body and non-removable therefrom, ~~selectively resealable and~~ said closure member traversing said open end of said liner body ~~for providing selective access to said first volume~~, wherein said closure member is movable between a first position for providing access to said inner volume and a second position for sealing said inner volume, and wherein said rim selectively engages with said holder opening for ~~disposing~~ positioning said nurser liner in said second volume.

46. (currently amended) The assembly of claim 45, wherein said rim has an upper surface, and wherein said closure member is ~~disposed along~~ said upper surface.

47. (currently amended) The assembly of claim 45, wherein said rim has an upper surface with an inner portion, and wherein said closure member is ~~disposed along~~ said inner portion.

48. (currently amended) The ~~liner assembly~~ of claim 45, wherein said nurser liner has a substantially cylindrical shape.

49. (new) A flexible nurser liner usable with a holder having an open end, the liner comprising:

a body having a longitudinal axis, a substantially sealed periphery, and a top portion with an opening, said body defining an inner volume, said top portion having traverse axes perpendicular to said longitudinal axis; and

a closure member being selectively resealable and traversing said opening for providing selective access to said inner volume, wherein said closure member is integrally connected with said liner body and non-removable therefrom, and wherein said closure member is non-colinear with respect to all of said traverse axes over a substantial portion of said top portion.

50. (new) The liner of claim 49, wherein said closure member has a non-linear shape.

51. (new) The liner of claim 49, wherein said closure member has an arcuate shape.

52. (new) The liner of claim 49, wherein said closure member has a V-like shape.

53. (new) The liner of claim 49, wherein said closure member has an apex.

54. (new) The liner of claim 49, further comprising an identification area for identifying contents of said inner volume, wherein said closure member partially defines said identification area.

55. (new) The liner of claim 49, wherein said closure member comprises opposing projection members.

56. (new) The liner of claim 49, wherein said closure member comprises a zipper.

57. (new) An infant feeding assembly comprising:

a nurser liner having a liner body and a closure member, wherein said liner body has a longitudinal axis, a substantially sealed periphery, and a top portion with an opening, said liner body defining an inner volume, said top portion having traverse axes perpendicular to said longitudinal axis, said closure member being selectively resealable and traversing said opening for providing selective access to said inner volume, said closure member being integrally connected with said liner body and non-removable therefrom, said closure member being non-collinear with respect to all of said traverse axes over a substantial portion of said top portion; and

a holder having a body defining a second volume and a rim defining an open end, said top portion of said liner body selectively engaging with said rim of said holder for positioning said nurser liner with said second volume.

58. (new) The assembly of claim 57, wherein said closure member has a non-linear shape.

59. (new) The assembly of claim 57, wherein said closure member has an arcuate shape.

60. (new) The assembly of claim 57, wherein said closure member has a V-like shape.

61. (new) The assembly of claim 57, wherein said closure member has an apex.

62. (new) The assembly of claim 57, further comprising an identification area for identifying contents of said inner volume, wherein said closure member partially defines said identification area.

63. (new) The assembly of claim 57, wherein said closure member comprises opposing projection members.

64. (new) The assembly of claim 57, wherein said closure member comprises a zipper.